

- Submit Your Paper
- View Articles
- Guide for Authors
- Abstracting/ Indexing
- Track Your Paper
- Order Journal

Journal Metrics

CiteScore: **0.41**

More about CiteScore

Impact Factor: **0.464**

5-Year Impact Factor: **0.468**

Source Normalized Impact per Paper (SNIP): **0.408**

SCImago Journal Rank (SJR): **0.229**

> View More on Journal Insights

- Related Links
- > Author Stats
 - > Publishing Campus
 - > Author Services

First software articles available now



SoftwareX

READ HERE

ELSEVIER

Most Downloaded Chinese Journal of Physics Articles

The most downloaded articles from Chinese Journal of Physics in the last 90 days.

Bound state solutions of the Schrödinger equation with second Pöschl-Teller like potential model and the vibrational partition function, mean energy and mean free energy

April 2016

C.A. Onate

By employing two different methods and suitable approximation schemes to deal with the centrifugal term, we solved approximately the Schrödinger equation with the Second Pöschl-Teller like potential...



Hopf bifurcation and chaos control in a new chaotic system via hybrid control strategy

February 2017

P. Cai | Z.Z. Yuan

In this paper, we investigate the problem of Hopf bifurcation and chaos control in a new chaotic system. A hybrid control strategy using both state feedback and parameter control is proposed. Theoretical...



A new model for the reformulation of compressible fluid equations

February 2017

S. Demir | A. Uymaz | M. Tanışlı

Stimulating the biquaternionic generalization of electric and magnetic fields

Multiplicative non-Gaussian noise and additive Gaussian white noise induced transition in a piecewise nonlinear model

February 2017

Bei Xi | Yong-Feng Guo | Ya-Jun Shen | Jian-Guo Tan | Ming Liu

We study the transition problems in a piecewise nonlinear model induced by correlated multiplicative non-Gaussian noise and additive Gaussian white noise. Firstly, applying the path integral approach,...



Klein–Gordon equation for a charged particle in space-varying electromagnetic fields–A systematic study via the Laplace transform

April 2017

Tapas Das | Altuğ Arda

Exact solutions of the Klein–Gordon equation for a charged particle in the presence of three spatially varying electromagnetic fields, namely, (i) $E \rightarrow \alpha \beta e^{-\alpha x^2} e^{-\beta x^2}$, $B \rightarrow \alpha \beta e^{-\alpha x^2} e^{-\beta x^2}$ (ii) $E \rightarrow \beta_0' x^2 e^{-\alpha x^2}$, $B \rightarrow \beta_1' x^2 e^{-\alpha x^2}$, ...

